RESULTS
Kills 200+ Weed Types!
as listed
GUARANTEED†

Spectracide®

WEED STOP® FOR LAWNS

CONCENTRATE

Herbicida concentrado para céspedes

See Results in Hours!

Treats up to 16,000 sq ft	Kills Weed Roots

ATTACH TO HOSE

For use on Northern and Southern lawns

17-13307

Active Ingredients:
*2,4-D, dimethylamine salt.....7.59%
**Mecoprop-p, dimethylamine salt....1.83%
‡Dicamba, dimethylamine salt.....0.84%
Other Ingredients.....89.74%

* 0.540 lb 2,4-D acid equivalent per gallon or 6.30%. ** 0.129 lb Mecoprop-p acid equivalent per gallon or 1.51%. ‡ 0.059 lb Dicamba acid equivalent per gallon or 0.69%. Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional precautionary statements.

†For terms of guarantee, see back panel.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales.

Net 32 fl oz (1 qt / 946 mL)

calcetines, zapatos y guantes de goma/hule. Use gafas de protección cuando utilice este producto. Después de utilizar este producto, enjuague los guantes antes de quitárselos, quítese la ropa y lávela por separado antes de volver a usarla y rápidamente lávese bien las manos y la piel que estuvo expuesta con agua y jabón. Quítese la ropa mojada y báñese en regadera tan pronto como sea posible. No permita que las personas (excepto el aplicador) ni las mascotas entren en el área de tratamiento durante la aplicación. No entre en las áreas de tratamiento hasta que el rocío se haya secado. La cantidad máxima de aplicaciones al voleo por lugar de tratamiento es de dos por año.

PRIMEROS AUXILIOS

Si se ingiere: Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre nada por la boca a una persona que haya perdido el conocimiento. **Si entra en contacto con la piel o la ropa:** Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. **Si entra en contacto con los ojos:** Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. **Si es inhalado:** Saque a la persona al aire fresco. Si no respira, llame al 911 o a una ambulancia. Luego adminístrele respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de envenenamientos o a un médico para recibir más instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

No aplique en condiciones que puedan provocar un posible contacto o arrastre del rocío sobre alimentos para personas, forraje, hortalizas, plantas ornamentales, u otras plantaciones deseables que pudieran resultar dañadas o sobre cultivos que pudieran quedar inutilizados para la venta, el uso o el consumo. Este producto es tóxico para los peces y los invertebrados acuáticos. El arrastre o el escurrimiento pueden afectar de manera adversa a los peces, los invertebrados acuáticos y las plantas que no son el objetivo del tratamiento. No aplique directamente al agua. No contamine el agua cuando elimine las aguas de lavado del equipo.

En la mayoría de los casos, la contaminación del agua subterránea por herbicidas de tipo fenoxi como el 2,4-D se ha asociado a lugares de mezclado/rellenado y eliminación. Se debe tener mucho cuidado al manipular pesticidas tipo 2,4-D en dichos lugares para evitar la contaminación de las fuentes de agua subterránea. El uso de sistemas cerrados para mezclar o transferir este pesticida, reduce la probabilidad de derrames. La ubicación del equipo de mezclado/rellenado sobre un protector impermeable para contener derrames, ayudará a evitar la contaminación del agua subterránea.

Spectracide

STOP READ ENTIRE LABEL BEFORE USE.
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

PULL HERE
RESEALABLE LABEL
ABRA AQUÍ
ETIQUETA RESELLABLE

WEED STOP® FOR LAWNS

CONCENTRATE

Herbicida concentrado para céspedes

- Kills 200+ Types of Weeds
- Overnight Results
- Kills Weed Roots!
- Won't Harm Lawns*
- Rainproof in Hours
- Treats up to 16,000 sq ft

PRODUCT FACTS

WHAT IT DOES:
Kills all major broadleaf weeds including dandelion, chickweed and clover (See inside for complete list.)

WHERE TO USE:
Lawns: Kills the weeds, not the lawn.

WHEN TO USE:
Do not apply when daytime temperatures are above 85°F as lawn injury can occur.

QUESTIONS & COMMENTS:
Call 1-800-917-5438 or visit our website at **www.spectracide.com**

Treats Northern & Southern Grasses: Bluegrass, Fescue, Zoysia, Bermuda, St. Augustine*, Bentgrass, Centipede, Bahia, Rye

†GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address at right, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

***DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINEGRASS IN FLORIDA.**

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.
NOTA: El comprador asume toda la responsabilidad en caso de no seguir las instrucciones sobre seguridad y modo de empleo.

Dist. by Spectrum Group, Div. of United Industries Corp.
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-121-8845
EPA Est. Nos. 9688-MO-1 (1) 39609-MO-1 (BM)
Circled letter is first letter of lot number. 17-13308 ©2009 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 95835 8

WEEDS CONTROLLED / MALEZAS CONTROLADAS:
BROADLEAF WEEDS / MALEZAS DE HOJA ANCHA:

- Annual yellow sweetclover
- Aster
- Austrian fieldcress
- Bedstraw
- Beggarticks
- Betony, Florida
- Bindweed, field
- Bird vetch
- Bitter wintercress
- Bittercress, hairy
- Bitterweed
- Black-eyed Susan
- Black medic
- Black mustard
- Blackseed plantain
- Blessed thistle
- Bloodflower milkweed
- Blue lettuce
- Blue vervain
- Bracted plantain
- Brassbuttons
- Bristly oxtongue
- Broadleaf dock
- Broadleaf plantain
- Broomweed
- Buckhorn
- Buckhorn plantain
- Bulbous buttercup
- Bull thistle
- Bullnettle
- Burclover
- Burdock
- Burning nettle
- Burweed
- Buttercup
- Buttonweed
- Canada thistle
- Carolina geranium
- Carpetweed
- Catchweed bedstraw
- Catnip
- Catsear
- Chickweed, common
- Chickweed, mouseear
- Chicory
- Cinquefoil
- Clover, crimson
- Clover, hop
- Clover, red
- Clover, strawberry
- Clover, sweet
- Clover, white
- Cranesbill
- Cockle
- Cocklebur
- Common mullein
- Creeping Jenny (Creeping Charlie)
- Cudweed
- Curly dock
- Daisy, English
- Daisy fleabane
- Daisy, oxeye
- Dandelion
- Deadnettle
- Dichondra
- Dogbane
- Dogfennel
- Dollarweed
- Elderberry
- English daisy
- False dandelion
- Falseflax
- False sunflower
- Fiddleneck
- Filaree
- Fleabane
- Florida pusley
- Frenchweed
- Galinsoga
- Goathead
- Goldenrod
- Ground ivy
- Gumweed
- Hairy fleabane
- Hawkweed
- Healall
- Heartleaf drymary
- Heath aster
- Hedge bindweed
- Hedge mustard
- Hemp
- Henbit
- Hoary cress
- Hoary plantain
- Hoary vervain
- Horsenettle
- Jimsonweed
- Knawel
- Knotweed
- Kochia
- Lambsquarters
- Lespedeza
- Mallow
- Matchweed
- Mexicanweed
- Milk vetch
- Morningglory
- Mouseear hawkweed
- Mugwort
- Musk thistle
- Mustard
- Narrowleaf plantain
- Narrowleaf vetch
- Nettle
- Orange hawkweed
- Oriental cocklebur
- Oxalis
- Parsley-piert
- Parsnip
- Pearlwort
- Pennycress
- Pennywort
- Peppergrass
- Pepperweed
- Pigweed
- Pineywoods bedstraw
- Plains coreopsis (tickseed)
- Plantain
- Poison ivy
- Poison oak
- Pokeweed
- Poorjoe
- Prairie sunflower
- Prickly lettuce
- Prickly sida
- Prostrate knotweed
- Prostrate pigweed
- Prostrate spurge
- Prostrate vervain
- Puncturevine
- Purslane, common
- Ragweed
- Red sorrel
- Redroot pigweed
- Redstem filaree
- Rough cinquefoil
- Rough fleabane
- Russian pigweed
- Russian thistle
- Scarlet pimpernel
- Scotch thistle
- Sheep sorrel
- Shepherdspurse
- Slender plantain
- Smallflower galinsoga
- Smooth dock
- Smooth pigweed
- Soliva
- Sorrel
- Sowthistle
- Spanishneedles
- Speedwell
- Spiny amaranth
- Spiny cocklebur
- Spiny sowthistle
- Spotted catsear
- Spotted spurge
- Spurweed
- Stinging nettle
- Strawberry, India mock
- Tall nettle
- Tall vervain
- Tansy ragwort
- Tansy mustard
- Tanweed
- Thistle
- Trailing crownvetch
- Tumble mustard
- Tumble pigweed
- Velvetleaf
- Venice mallow
- Virginia buttonweed
- Virginia creeper
- Virginia pepperweed
- Water pennywort
- Wavyleaf bullthistle
- Western clematis
- Western salsify
- White mustard
- Wild aster
- Wild buckwheat
- Wild carrot
- Wild four-o'clock
- Wild garlic
- Wild geranium
- Wild lettuce
- Wild marigold
- Wild mustard
- Wild onion
- Wild parsnip
- Wild radish
- Wild rape
- Wild strawberry
- Wild sweet potato
- Wild vetch
- Woodsorrel
- Woolly croton
- Woolly morningglory
- Woolly plantain
- Wormseed
- Yarrow
- Yellow rocket
- Yellowflower pepperweed

and other broadleaf weeds

STOP READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
SHAKE WELL BEFORE USING.

People and pets should not be allowed in treated areas until spray has dried.

MEASUREMENT CALCULATIONS

Calculate square feet by multiplying length by width. 1 fl oz = 2 Tbsp (6 tsp); 2 fl oz = 4 Tbsp; 4 fl oz = 1/2 cup; 8 fl oz = 1 cup; 16 fl oz = 1 pint; 32 fl oz = 1 qt

WHEN TO USE

1. **SPRING:** The best time to treat weeds is when they are small and growing.
2. **FALL:** Many problem weeds germinate in the fall, and treatment then will eliminate many of next year's weeds.

HOW TO USE

HOSE-END SPRAYER INSTRUCTIONS

1. *Shake container well before using.*
2. Connect a garden hose to the Ready-Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area
4. To BEGIN spraying, point nozzle toward lawn or plants to be treated and 1.) bend the safety tab (located at right of dial) back and hold, and 2.) using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
5. Spray until wet to control weeds listed. Walk at a steady pace while spraying, using an even sweeping motion, slightly overlapping treated areas. One quart will treat 16,000 sq ft of southern and 8,000 sq ft of northern grasses. Calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when bottle is half empty, you should have covered half the area).
6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" (counterclockwise) until it stops and the safety tab engages into the notch. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with the safety tab in the valve notch. Place in a cool area away from heat, sunlight or open flame.

NORTHERN LAWNS (covers 8,000 sq ft)	SOUTHERN LAWNS (covers 16,000 sq ft)
Bluegrass, Fescue, Rye, Zoysia	Bahia, Bermuda, Bentgrass, Centipede, St. Augustine
NOTE: Do not use on Floratam variety of St. Augustinegrass in Florida. If you are unsure as to what type of grass you have, contact your County Extension agent.	

USE TIPS

- For best results, mow lawn before treating weeds.
- Do not treat when air temperatures exceed 85°F or damage to grass may occur.
- Do not water within six hours of treatment. Poor weed control may result if rainfall occurs within six hours of application.
- ***For new lawns,*** treat within 24 hours after seeding. ***On established lawns,*** wait three weeks after treatment before re-seeding. Once new grass has started to grow, wait until it has reached a height of 2 inches before treating.
- Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not spray around roots of trees and ornamentals. Clover will be damaged if sprayed.
- Whether using a hose-end sprayer or pressure sprayer, avoid sprays that are too fine because they can drift and damage other plants.
- If certain tough weeds are not dead within three weeks, repeat treatment. Broadcast application is not necessary; follow spot treatment directions.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. **Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin, eyes and clothing. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wear goggles when applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. The maximum number of broadcast applications per treatment site is two per year.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

Do not apply under conditions involving possible spray contact or drift onto food, forage, vegetables, ornamental plants or other desirable plantings that might be damaged or the crops rendered unfit for sale, use or consumption. This product is toxic to fish and aquatic invertebrates. Drift or runoff may adversely affect fish, aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

ALTO LEA TODA LA ETIQUETA ANTES DE USAR.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. AGITE BIEN ANTES DE USAR.

ALTO No permita que las personas ni las mascotas entren en las áreas tratadas hasta que el rocío se haya secado.

CÁLCULOS DE MEDICIÓN

Calcule los pies cuadrados multiplicando la longitud por el ancho. 1 onz. líq. = 2 cdas. soperas (6 cdtas.); 2 onz. líq. = 4 cdas. soperas; 4 onz. líq. = ½ taza; 8 onz. líq. = 1 taza; 16 onz. líq. = 1 pinta; 32 onz. líq. = 1 cuarto de galón

CUÁNDO UTILIZARLO

1. **PRIMAVERA:** La mejor época para tratar a las malezas es cuando son pequeñas y están creciendo.
2. **OTOÑO:** Muchas malezas problemáticas germinan en el otoño y un tratamiento en ese momento eliminará muchas de las malezas del próximo año.

CÓMO USAR

INSTRUCCIONES PARA ROCIADORES CON APLICADOR TIPO MANGUERA

1. *Agite bien el envase antes de usar.*
2. Conecte una manguera de jardín a la boquilla Ready Spray. Asegúrese de que el selector en la boquilla esté en la posición "OFF" (apagado) con la lengüeta de seguridad en la muesca de la válvula.
3. Abra el agua del grifo. Extienda la manguera hasta la zona más alejada que se vaya a tratar y retroceda hacia el grifo de manera de no entrar en contacto con el área tratada.
4. Para COMENZAR a rociar, dirija la boquilla hacia el césped o las plantas que se van a tratar y 1.) doble hacia atrás la lengüeta de seguridad (ubicada a la derecha del selector) y mantenga, y 2.) con su otra mano, ajuste RÁPIDAMENTE el selector en el sentido de las manecillas del reloj hasta que se detenga. El agua se mezclará automáticamente con el producto.
5. Rocíe hasta mojar para controlar las malezas indicadas. Camine a ritmo regular mientras rocía con un movimiento uniforme de barrido, superponiendo ligeramente las áreas tratadas. Con un cuarto de galón se pueden tratar 16,000 pies cuadrados de pastos del sur y 8,000 pies cuadrados de pastos del norte. Calcule los pies cuadrados multiplicando la longitud por el ancho. Consulte el medidor visual como guía para la cobertura (ejemplo: cuando la botella esté llena por la mitad, usted debería haber cubierto la mitad del área).
6. Para DETENER el rocío, gire RÁPIDAMENTE el selector en el sentido contrario a la posición "ON" (contrario al de las manecillas del reloj) hasta que se detenga y la lengüeta de seguridad se trabe en la muesca de la válvula. Cierre el agua del grifo. Para reducir la presión antes de quitar la boquilla de la manguera, doble hacia atrás la lengüeta de seguridad y gire el selector a la posición "ON" (encendido) hasta que el agua deje de salir como rocío.
7. Para GUARDAR el producto sin usar, asegúrese de que el selector esté en la posición "OFF" (apagado) con la lengüeta de seguridad en la muesca de la válvula. Guarde en un lugar fresco, lejos del calor, la luz solar o el fuego.

CÉSPEDES DEL NORTE (cubre 8,000 pies²)	CÉSPEDES DEL SUR (cubre 16,000 pies²)
Pasto azul (Bluegrass), Festuca, Rye, Zoysia	Bahia, Césped Bermuda, Agrostis (Bentgrass), Ciempiés (Centipede), pasto San Agustín
NOTA: No lo use en la variedad 'Floratam' del pasto San Agustín en Florida. Si no está seguro de qué tipo de pasto tiene, póngase en contacto con el representante de extensión agrícola del condado.	

CONSEJOS SOBRE EL USO

- Para obtener mejores resultados, corte el césped antes de tratar las malezas.
- No trate las malezas cuando la temperatura del aire sea superior a 85°F porque puede dañar el pasto.
- No riegue dentro de las seis horas de efectuado el tratamiento. Si llueve dentro de las seis horas de la aplicación, el control de malezas puede ser deficiente.
- ***Para céspedes nuevos,*** trate dentro de las 24 horas después de la siembra. ***En céspedes establecidos,*** espere tres semanas después del tratamiento antes de volver a sembrar. Cuando el nuevo césped comience a crecer, espere a que alcance una altura de 2 pulgadas antes de efectuar el tratamiento.
- No permita que el rocío llegue a las hortalizas o las plantas ornamentales puesto que puede provocarles daños. No rocíe alrededor de las raíces de árboles y plantas ornamentales. El trébol resultará dañado si se rocía.
- Cuando utilice un rociador con aplicador tipo manguera o un rociador a presión, evite el rocío demasiado fino porque puede ser arrastrado y dañar otras plantas.
- Si algunas malezas resistentes no mueren en el plazo de tres semanas, repita el tratamiento. No es necesaria una aplicación al voleo. Siga las instrucciones para el tratamiento localizado.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento: Guárdelo en un lugar fresco y seco lejos del calor o el fuego. **Eliminación: Si está vacío:** Envase no rellenable. No vuelva a usar ni rellenar este envase. Ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos para obtener instrucciones de eliminación. Nunca tire el producto restante por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Nocivo si se ingiere o se absorbe por la piel. Evite respirar el vapor y la niebla del rocío. Evite el contacto con la piel, los ojos y la ropa. Cuando utilice este producto, use camisa de manga larga, pantalones largos,

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.
Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

Do not apply under conditions involving possible spray contact or drift onto food, forage, vegetables, ornamental plants or other desirable plantings that might be damaged or the crops rendered unfit for sale, use or consumption. This product is toxic to fish and aquatic invertebrates. Drift or runoff may adversely affect fish, aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.
Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

PRIMEROS AUXILIOS

Si se ingiere: Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique centro de control de envenenamientos o un médico. No administre nada por la boca a una persona que haya perdido el conocimiento. **Si entra en contacto con la piel o la ropa:** Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. **Si entra en contacto con los ojos:** Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. **Si es inhalado:** Saque a la persona al aire fresco. Si no respira, llame al 911 o a una ambulancia. Luego adminístrele respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de envenenamientos o a un médico para recibir más instrucciones de tratamiento.
Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

No aplique en condiciones que puedan provocar un posible contacto o arrastre del rocío sobre alimentos para personas, forraje, hortalizas, plantas ornamentales, u otras plantaciones deseables que pudieran resultar dañadas o sobre cultivos que pudieran quedar inutilizados para la venta, el uso o el consumo. Este producto es tóxico para los peces y los invertebrados acuáticos. El arrastre o el escurrimiento pueden afectar de manera adversa a los peces, los invertebrados acuáticos y las plantas que no son el objetivo del tratamiento. No aplique directamente al agua. No contamine el agua cuando elimine las aguas de lavado del equipo.
En la mayoría de los casos, la contaminación del agua subterránea por herbicidas de tipo fenoxi como el 2,4-D se ha asociado a lugares de mezclado/rellenado y eliminación. Se debe tener mucho cuidado al manipular pesticidas tipo 2,4-D en dichos lugares para evitar la contaminación de las fuentes de agua subterránea. El uso de sistemas cerrados para mezclar o transferir este pesticida, reduce la probabilidad de derrames. La ubicación del equipo de mezclado/rellenado sobre un protector impermeable para contener derrames, ayudará a evitar la contaminación del agua subterránea.

NOTA: El comprador asume toda la responsabilidad en caso de no seguir las instrucciones sobre seguridad y modo de empleo.

¿Preguntas o comentarios? Llame al 1-800-917-5438.

Distributed by Spectrum Group, Div. of United Industries Corp., PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 478-121-8845 EPA Est. Nos. 9688-MO-1 (U), 39609-MO-1 (BM)
Circled letter is first letter of lot number. 17-13308 ©2009 UIC